

BST281

Lab Session 4

Announcement:

- Problems2 has been posted. Deadline is March 10th (before spring break).
- Reminder: March 1, 6, 8 are for journal club presentations.
- Today's **OPTIONAL** lab focus on
 1. read and write files
 2. debugging.

Debugging

Debugging?

Debugging is the process of figuring out what is going wrong with your code. Today we will talk about *print statement debugging*. It is a great start for beginners, there are some other more specialized ways or functions but we won't see it in this lab. Debugging using the print statement, it's a great way to develop intuition about what your code is doing and where you should look to fix any problem.

For debugging you require to read your code and read your error messages. Try to narrow down the general area where your errors are occurring and where the bug may be.

Tips for debugging:

- If you are coding a formula, try to look at intermediate calculations. Make your own test case, a simple calculation that you can do using a calculator or excel, then test your code.
- If you are reading a file and you want modify it or get certain data in some specific form. Add the print statment in intermediate steps to get a sense what your code is actually doing (what colums are you reading, are the numbers floats or strings?, etc...).
- When using if, if/else, elif statment you can test your code by adding print statement after each case. Make test cases to see that each case runs when it supposed to.

Common errors

Syntax Errors

Fix the syntax errors for the following examples:

```
[>>> a=3+4 5
File "<stdin>", line 1
    a=3+4 5
        ^
SyntaxError: invalid syntax
[>>> print (hello word)
File "<stdin>", line 1
    print (hello word)
          ^
SyntaxError: invalid syntax
[>>> print "hello word"
File "<stdin>", line 1
    print "hello word"
          ^
SyntaxError: Missing parentheses in call to 'print'

[>>> hello=5
[>>> print(hello)
5
```

```
def mean():
    return sum(aList)/len(aList)
>>> mean()
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
    mean()
  File "<stdin>", line 2, in mean
    return sum(aList)/len(aList)
NameError: global name 'aList' is not defined
```

Useful Unix commands for working with Files

Command	Usage	Purpose	Examples
cat	cat <file-name>	Displays all the contents of <file-name> in the terminal.	cat problems02.py
less	less <file-name>	Displays navigable contents of <file-name> in the terminal; you can scroll using ↑ or ↓. Close the file by typing q.	less problems02.py
head	head <file-name>	Displays the first 10 lines of <file-name>	head problems02.py
tail	tail <file-name>	Displays the last 10 lines of <file-name>	tail problems02.py
pipe()	<cmd1> <cmd2>	Redirects the output from <cmd1> to the input of <cmd2>	cat problems02.py less
output redirect (>)	<cmd> > <output-file>	Redirects the output from <cmd> to the file <output-file>. <i>This overwrites <output-file></i>	head problems02.py > problems02.short.py
output redirect and append (>>)	<cmd> >> <output-file>	Appends the output from <cmd> to the end of file <output-file>	tail problems02.py >> problems02.short.py
cut	cut -f <col numbers> [-d <delimiter>] <file-name>	Prints the <col numbers> columns of <file name>. If the delimiter is not a tab, use -d to set the delimiter.	cut -f 1-3,5 HMP_trunc.txt cut -f 1-3,5 -d , HMP_trunc.csv
wc	wc -l <file-name>	Prints the number of lines in <file-name>	wc -l HMP_trunc.txt

Unix commands

For Mac:

- less, head, tail
- |, > and >>
- *cut -f*
- cat
- *wc -l*
- *grep, grep -e*
- *man*
- *ls, lsl, lst, ls -tr*
- chmod

For Windows:

- Get-Content (alias: gc) is your usual option for reading a text file.
- `gc log.txt | select -first 10 # head`
- `gc log.txt | select -last 10 # tail`
- `gc log.txt | more` # or less if you have it installed
- `type #cat`
- `find #grep`
- `help #man`
- `dir #ls`
- `attrib#chmod`

Exercise: Unix commands

Download the file `HMP_trunc.txt` from the course website and use it to answer the following questions/do the following things:

1. Use `less`, `head` and `tail` to look at the file and get a feel for how large it is and what it contains.
2. How many lines are there?

Exercise: Unix commands

Download the file `HMP_trunc.txt` from the course website and use it to answer the following questions/do the following things:

3. What does the first column contain?
4. How many rows correspond to Archaeal abundances? (HINT: those lines start with `k__Archaea`)
5. Extract the names of the Archaea and put them in the file `HMP_archaea_names.txt`

Answer key to questions:

Download the file `HMP_trunc.txt` from the course website and use it to answer the following questions/do the following things:

1. Use `less`, `head` and `tail` to look at the file and get a feel for how large it is and what it contains.

2. How many lines are there?

`wc -l HMP_trunc.txt` ⇒ **25.**

3. What does the first column contain?

`cut -f1 HMP_trunc.txt` shows that the first column contains the row names

4. How many rows correspond to Archaeal abundances? (HINT: those lines start with `k__Archaea`)

`grep 'k__A' HMP_trunc.txt | wc -l`

5. Extract the names of the Archaea and put them in the file `HMP_archaea_names.txt`

`grep k__Archaea HMP_trunc.txt | cut -f1 > HMP_archaea_names.txt`

Reading and Writing Files within Python


`sys.argv`

The first task for this is to get comfortable with `sys.argv`. In a new text file called `lab04_ex1.py`, write the following:

```
#!/usr/bin/env python

import sys

if __name__ == "__main__":
    print sys.argv
```



We will ignore
this for now
We will talk about
it in details after
we cover python
modules

This will print the arguments that Python sees from `sys.argv`. Now, run this script three different times:

```
python lab03_ex5.py
```

```
python lab03_ex5.py input.txt
```

```
python lab03_ex5.py input.txt output.txt
```

You should see:

```
xues-mbp:lab4 Scarlett$ python lab4_ex1.py
['lab4_ex1.py']
xues-mbp:lab4 Scarlett$ python lab4_ex1.py input.txt
['lab4_ex1.py', 'input.txt']
xues-mbp:lab4 Scarlett$ python lab4_ex1.py input.txt output.txt
['lab4_ex1.py', 'input.txt', 'output.txt']
```

1. What kind of object is `sys.argv` (integer, dictionary, etc.)?

Split Function (from last lab)

- Some Useful String Functions

We will learn some functions that can be used to deal with strings

- Start by opening the command line and type `python`

`.split()`

Now enter the following into the interpreter:

```
string1="Hello!World"
string1.split("\t")
string1.split("!")
string1.split("e")

string2=",Subj,Sequence1,Sequenece2\n"
string2.split('\t')
string2.split('\n')
string2.split(',')
string2.split('Subj')

string3="Sequence1\tSequence2"
string3.split('\t')
```

```
>>> string1="Hello!World"
>>> string1.split("\t")
['Hello!World']
>>> string1.split("!")
['Hello', 'World']
>>> string1.split("e")
['H', 'llo!World']
>>> string2=",Subj,Sequence1,Sequenece2\n"
>>> string2.split('\t')
[' ,Subj,Sequence1,Sequenece2\n']
>>> string2.split('\n')
[' ,Subj,Sequence1,Sequenece2', '']
>>> string2.split(',')
[' ', 'Subj', 'Sequence1', 'Sequenece2\n']
>>> string2.split('Subj')
[' ', ' ', 'Sequence1,Sequenece2\n']
>>> string3="Sequence1\tSequence2"
>>> string3.split('\t')
['Sequence1', 'Sequence2']
```

1. What does `.split(<string>)` do?

Ans: It splits a string into a list by removing all instances of from the string.

2. Is `.split()` a function that modifies the value in place, or that creates a copy and returns it?

Ans: It creates a copy and returns it.

Replace Function

We will learn some functions that can be used to deal with strings

- Start by opening the interpreter (open the command line and type `python`).

Now enter the following into the interpreter:

```
[>>> string1="Hello!Word"
[>>> string1.replace('H','A')
'Aello!Word'
[>>> string1.replace('H',' ')
' ello!Word'
```

Append to a list

We will learn how to append elements to an empty list

- Start by opening a new py file in Atom

```
1 aList=[]
2
3 for i in range(10):
4     aList.append(i)
5
6 print (aList)
```

Using sys.argv and open

In a new text file called `lab4_ex2.py` type the following:

```
#!/usr/bin/env python

import sys

if __name__ == "__main__":

    fInFile = open(sys.argv[1])
    fOutFile = open(sys.argv[2], 'w')
    for strLine in fInFile:
        fOutFile.write(strLine.split('\t')[0])

    fInFile.close()
    fOutFile.close()
```

The input file for this function will be `HMP_trunc.txt` and the output file will be `HMP_ex6.txt`. When you run this correctly, you will not see any output on the screen.

1. What does this function do?
2. What is the correct command to run this file?
3. What does your output file look like? How could you change your code to make it more readable?

Answer key to questions:

```
#!/usr/bin/env python

import sys

if __name__ == "__main__":

    fInFile = open(sys.argv[1])
    fOutFile = open(sys.argv[2], 'w')
    for strLine in fInFile:
        fOutFile.write(strLine.split('\t')[0])

    fInFile.close()
    fOutFile.close()
```

The input file for this function will be `HMP_trunc.txt` and the output file will be `HMP_ex6.txt`. When you run this correctly, you will not see any output on the screen.

1. What does this function do?

It reads in a tab-delimited file and outputs the first column of each line to the output file.

2. What is the correct command to run this file?

`python lab4_ex2.py HMP_trunc.txt HMP_ex6.txt`

3. What does your output file look like? How could you change your code to make it more readable?

`fOutFile.write(strLine.split('\t')[0])` to `fOutFile.write(strLine.split('\t')[0] + '\n')`

Exercises

1. Write a script called `txt2csv.py` that converts a tab-delimited (txt) file into a comma-separated value (csv) file. Choose an I/O style between:

(a) `python txt2csv.py < input.txt > output.csv`

(b) `python txt2csv.py input.txt output.csv`

Use this script to convert `HMP_trunc.txt` to `HMP_trunc.csv`.

Answer key to questions:

1. Write a script called `txt2csv.py` that converts a tab-delimited (txt) file into a comma-separated value (csv) file. Choose an I/O style between:

- (a) `python txt2csv.py < input.txt > output.csv`
- (b) `python txt2csv.py input.txt output.csv`

Use this script to convert `HMP_trunc.txt` to `HMP_trunc.csv`.

If using I/O style 1a

```
#!/usr/bin/env python

import sys

if __name__ == "__main__":

    for strLine in sys.stdin:
        sys.stdout.write(strLine.replace('\t', ','))
```

If using I/O style 1b

```
#!/usr/bin/env python

import sys

if __name__ == "__main__":

    fInFile = open(sys.argv[1])
    fOutFile = open(sys.argv[2], 'w')
    for strLine in fInFile:
        fOutFile.write(strLine.replace('\t', ','))

    fInFile.close()
    fOutFile.close()
```

Exercises

2. Write a script called `transpose.py` that takes an input file and outputs its transpose. You can assume that your input file is tab-delimited and that any missing entries are designated by a tab. Choose an I/O style between:

(a) `python transpose.py < input.txt > output.txt`

(b) `python transpose.py input.txt output.txt`

Use this script to convert `HMP_trunc.txt` to `HMP_trunc_transpose.txt`.

Answer key to questions:

2. Write a script called `transpose.py` that takes an input file and outputs its transpose. You can assume that your input file is tab-delimited and that any missing entries are designated by a tab. Choose an I/O style between:

- (a) `python transpose.py < input.txt > output.txt`
- (b) `python transpose.py input.txt output.txt`

Use this script to convert `HMP_trunc.txt` to `HMP_trunc_transpose.txt`.

If using I/O style 2a

```
#!/usr/bin/env python

import sys

if __name__ == "__main__":

    aaFile = []
    for strLine in sys.stdin:
        aaFile.append(strLine.replace('\n', '').split('\t'))

    aaTranspose = []
    for iColIdx in range(len(aaFile[0])):
        aaTranspose.append([])
        for iRowIdx in range(len(aaFile)):
            aaTranspose[iColIdx].append(aaFile[iRowIdx][iColIdx])

    astrTranspose = ['\t'.join(aTransposeLine) for aTransposeLine in aaTranspose]
    for strLine in astrTranspose:
        sys.stdout.write(strLine + '\n')
```

Answer key to questions:

If using I/O style 2b

```
#!/usr/bin/env python

import sys

if __name__ == "__main__":

    fInFile = open(sys.argv[1])
    fOutFile = open(sys.argv[2], 'w')

    aaFile = []
    for strLine in fInFile:
        aaFile.append(strLine.replace('\n', '').split('\t'))

    aaTranspose = []
    for iColIdx in range(len(aaFile[0])):
        aaTranspose.append([])
        for iRowIdx in range(len(aaFile)):
            aaTranspose[iColIdx].append(aaFile[iRowIdx][iColIdx])

    astrTranspose = ['\t'.join(aTransposeLine) for aTransposeLine in aaTranspose]
    for strLine in astrTranspose:
        fOutFile.write(strLine + '\n')

    fInFile.close()
    fOutFile.close()
```